



**CROWN
USA INC**



36 Industrial Park Drive
P.O. Box 789
Woodbury, GA 30293
(706) 553-9500
FAX (706) 553-9501

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION

Product Name: Tennessee Quick Dry Waterborne Lead-Free White

Product Code: TFW-254

Manufacturer: Crown USA, Inc.
36 Industrial Park Drive
Woodbury, GA 30293
(706) 553-9500

Emergency Phone Number: Chemtrec (800) 424-9300

Issue Date: 07/17/2025

Product Use: Traffic paint pavement marking material

SECTION 2 – HAZARDS IDENTIFICATION

GHS Classification Eye Irritation, Category 2B
Skin Irritation, Category 2
Reproductive Toxicity, Category 2
Specific Target Organ Toxicity (Single Exposure), Category 1

GHS Labeling

Signal Word

Danger

Pictograms



Hazard Statements

Causes serious eye irritation.
Causes moderate skin irritation, defatting and dermatitis.
May cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea and headache if inhaled.
May cause blindness and upset stomach if ingested.
May damage fertility or an unborn child.

Precautionary Statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, eye protection and respiratory protection.
Wash hands thoroughly after use.
IF IN EYES: Flush eyes with water. Remove contact lenses, if present and easy to do. Continue flushing.
If symptoms persist: Get medical attention.
IF ON SKIN: Thoroughly wash with soap and water.
If symptoms persist: Get medical attention.
IF INGESTED: Do not induce vomiting. Get medical attention.
Disposal should be made in accordance with Federal, State, and Local regulations.

Precautionary Statements

Wash hands thoroughly after use.

Physical Form/Appearance:

White – Light Ammonia Scent

Primary Routes of Absorption:

Eyes - Dermal - Inhalation – Ingestion

Eye Contact:

Severe irritation with redness and blurred vision.

Skin Contact:

Moderate irritation, defatting and dermatitis.

Inhalation:

Nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache.

Ingestion:

Possible blindness and upset stomach.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient:</u>	<u>CAS No.</u>	<u>% Wt</u>
Oxygenated Hydrocarbon (Texanol)	25265-77-4	1 - 2
Methanol	67-56-1	2 - 3
Titanium Dioxide	13463-67-7	6 - 8
Calcium Carbonate	1317-65-3	53 - 57
2 HydroxMethyl-Amino	52299-20-4	0.1
Water		16 - 18
Acrylic Polymer		16 - 18
Soap Dispersion		1 - 2

SECTION 4 – FIRST AID MEASURES

Contact by:

Eye:	Flush eyes with water. If symptoms persist, seek medical attention.
Skin:	Thoroughly wash skin and clothing with soap and water. If symptoms persist, seek medical attention.
Ingestion:	If swallowed, do not induce vomiting. Get medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point:	Non-combustible
Flammable Limits:	Non-flammable
Lower Explosive Limit:	N/A
Upper Explosive Limit:	N/A
Extinguishing Media:	Foam / Carbon Dioxide / Dry Chemical / Halon / Water
Special Fire Fighting Procedures:	None
Unusual Fire and Explosion Hazards:	None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Persons not wearing protective equipment (see Section 8) should be excluded from the area of the spill until clean-up has been completed. Ensure adequate ventilation.
Environmental Precautions:	Prevent spreading over a wide area. Do not let the product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised, if significant spillages cannot be contained.
Methods for Clean-Up:	Soak up with absorbent material and place in safe container. Thoroughly wash area with water before material dries. Dispose of according to Local, State and Federal regulations.

SECTION 7 – HANDLING AND STORAGE

Handling and Storage:	Keep from freezing.
-----------------------	---------------------

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation –

Local Exhaust:	Yes
Mechanical (General):	Yes
Special:	None
Other:	None

Personal Protective Equipment (PPE) –

Eyes:	Safety Glasses with Side Shields
Skin:	Protective Gloves
Respiratory:	Paint Mask

Exposure Limits

<u>Ingredient:</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Oxygenated Hydrocarbon (Texanol)	N/A	N/A
Methanol	200 PPM	260 mg/m ³
Titanium Dioxide	15 mg/m ³	10 mg/m ³
Calcium Carbonate	N/A	10 mg/m ³

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance:	Liquid, White
Odor:	Light Ammonia Scent
Boiling Point / Boiling Range:	210 – 220°F
Melting Point:	Liquid
Specific Gravity:	1.6 – 1.7
VOC:	0.67# / GAL. 80g / Liter
Vapor Pressure (mm Hg):	22
Evaporation Rate:	< 1
Vapor Density:	< 1
Solubility in Water:	Dilutable
Flash Point:	Non-Combustible

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable

Conditions and Materials to Avoid: Organic Solvents.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: None.

SECTION 11 – TOXICOLOGICAL INFORMATION

See section 15 – Regulatory Information

SECTION 12 – ECOLOGICAL INFORMATION

See Section 6 – Environmental Precautions

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal should be made in accordance with Federal, State, and Local regulations. See section 15 – Regulatory Information.

SECTION 14 – TRANSPORT INFORMATION

See section 15 – Regulatory Information

SECTION 15 – REGULATORY INFORMATION

Department of Transportation: Paint, Liquid – Non-Regulated

SARA TITLE III: This chemical is subject to the reporting requirements of SARA Title III, Section 313 and of 40 CFR 372.

<u>Ingredient:</u>	<u>CAS No.</u>	<u>% Wt</u>
Methanol	67-56-1	2 - 3

SECTION 16 – OTHER INFORMATION

NFPA	Health: 1	Flammability: 0	Reactivity: 0	Special Hazards: None
HMIS	Health: 1	Flammability: 0	Physical Hazard: 0	Personal Protective Equipment: X

The information contained herein is based on data available at the time of preparation of this data sheet and which Crown USA, Inc. believes to be reliable. However, no warranty is expressed or implied regarding the accuracy of this data. Crown USA, Inc. shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned as you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and the health and safety of your employees and users of this material.

Revision Date: 07/17/2025

Supersedes: 01/10/2022